Version: 2.1 Revision Date: 06/29/2017

SAFETY DATA SHEET

Category 1

1. Identification

Material name: Foam-A-Grip Material: 722072PU1000

Recommended use and restriction on use

Recommended use: Sealant Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Landcon Lifting Equipment and Concrete Accessories 180 Steeles Ave. West, Suite 206 Thornhill, Ontario L4J 2L1 CANADA

Contact person: Telephone: Emergency telephone number: EH&S Department **1-866-303-3103** 1-800-424-9300 (US); 1-613-996-6666 (Canada)

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol

Health Hazards

Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1A

Unknown toxicity - Health

Acute toxicity, oral	59.44 %
Acute toxicity, dermal	59.44 %
Acute toxicity, inhalation, vapor	100 %
Acute toxicity, inhalation, dust or mist	87.94 %

Environmental Hazards

Acute hazards to the aquatic Category 3 environment

Unknown toxicity - Environment

Acute hazards to the aquatic	99.94 %	
environment		
Chronic hazards to the aquatic	100 %	
environment		

Label Elements

LANDCON

Hazard Symbol:	
Signal Word:	Danger
Hazard Statement:	Extremely flammable aerosol. Pressurized container: May burst if heated. Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause genetic defects. May cause cancer. Harmful to aquatic life.
Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Avoid release to the environment.
Response:	IF exposed or concerned: Get medical advice/attention.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	None.

3. Composition/information on ingredients

Mixtures

Chemical Identity

CAS number Content in percent (%)*

2-Propanol, 1-chloro-, phosphate (3:1)	13674-84-5	10 - <25%
Methyl ether (Dimethyl ether)	115-10-6	5 - <10%
Isobutane	75-28-5	5 - <10%
Propane	74-98-6	1 - <5%
Butane	106-97-8	0.1 - <1%
Diisononyl phthalate	28553-12-0	0.01 - <1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures			
Ingestion:	Call a POISON CENTRE/doctor/ if you feel unwell. Rinse mouth.		
Inhalation:	Move to fresh air.		
Skin Contact:	Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.		
Eye contact:	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.		
Most important symptoms/effect	s, acute and delayed		
Symptoms:	Respiratory tract irritation.		
Indication of immediate medical a	ttention and special treatment needed		
Treatment:	Symptoms may be delayed.		
5. Fire-fighting measures			
General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.		
Suitable (and unsuitable) exting	uishing media		
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.		
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical:	Vapors may travel considerable distance to a source of ignition and flash back.		
Special protective equipment and precautions for firefighters			
Special fire fighting procedures:	No data available.		

Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
6. Accidental release measures	S	
Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.	
Methods and material for containment and cleaning up:	Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.	
Notification Procedures:	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.	
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.	
7. Handling and storage		
Precautions for safe handling:	Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.	
Conditions for safe storage, including any incompatibilities:	Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.	

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Isobutane	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (02 2013)
Propane	PEL	1,000 ppm 1,800 mg/m3	US. OSHA Table Z-1 Limits for Air
			Contaminants (29 CFR 1910.1000) (02 2006)
Butane	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (02 2013)

Chemical name	Туре	Exposure Limit Values	Source
Polymethylene polyphenyl isocyanate	TWA	0.005 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	CEILING	0.01 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)

Methyl ether (Dimethyl ether)	TWA	1,000 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Isobutane	TWA	1,000 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Isobutane	TWA	800 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Propane	TWA	1,000 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Propane	TWA	1,000 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Propane	TWA	1,000 ppm 1,800 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)

Appropriate Engineering
ControlsObserve good industrial hygiene practices. Observe occupational exposure
limits and minimize the risk of inhalation of vapors and mist. Mechanical
ventilation or local exhaust ventilation may be required.

Individual protection measures, such as personal protective equipment

General information:	Use personal protective equipment as required.		
Eye/face protection:	Wear goggles/face shield.		
Skin Protection Hand Protection:	Use suitable protective gloves if risk of skin contact.		
Other:	No data available.		
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.		
Hygiene measures:	Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. When using do not smoke.		

9. Physical and chemical properties

Appearance

Physical state:	liquid	
Form:	Aerosols	
Color:	Pale yellow	
Odor:	Strong petroleum/solvent	
Odor threshold:	No data available.	
pH:	No data available.	
Melting point/freezing point:	No data available.	
Initial boiling point and boiling range:	-44 °C -47 °F	
Flash Point:	-97 °C -143 °F	
Evaporation rate:	Slower than Ether	
Flammability (solid, gas):	Yes	
Upper/lower limit on flammability or explosive limits		

Flammability limit - upper (%):	18.6 %(V)
Flammability limit - lower (%):	3.0 %(V)
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	3,900 mmHg (20 °C 68 °F)
Vapor density:	Vapors are heavier than air and may travel along the floor and in the bottom of containers.
Relative density:	0.99
Solubility(ies)	
Solubility in water:	Practically Insoluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	Avoid contact with oxidizing agents (e.g. nitric acid, peroxides and chromates).
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. Toxicological information

Information on likely routes of ex Inhalation:	posure In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.	
Skin Contact:	Causes mild skin irritation.	
Eye contact:	Eye contact is possible and should be avoided.	
Ingestion:	May be harmful if swallowed.	
Symptoms related to the physical, chemical and toxicological characteristics		
Inhalation:	No data available.	

Eye contact:	No data available.	
Ingestion:	No data available.	
Information on toxicological effect	ts	
Acute toxicity (list all possible	routes of exposure)	
Oral Product:	ATEmix: 2,136.42 mg/kg	
Dermal Product:	ATEmix: 6,760.83 mg/kg	
Inhalation Product:	Not classified for acute toxicity based on available data.	
Specified substance(s): 2-Propanol, 1-chloro-, phosphate (3:1)	LC 50 (Rat): > 5 mg/l	
Diisononyl phthalate	LC 50 (Rat): > 4.4 mg/l	
Repeated dose toxicity Product:	No data available.	
Skin Corrosion/Irritation Product:	No data available.	
Specified substance(s): 2-Propanol, 1-chloro-, phosphate (3:1)	in vivo (Rabbit): Slightly irritating Experimental result, Supporting study	
Diisononyl phthalate	in vivo (Rabbit): very mild skin irritant Experimental result, Key study	
Serious Eye Damage/Eye Irritatio Product: Specified substance(s):	n No data available.	
2-Propanol, 1-chloro-, phosphate (3:1)	Rabbit, 24 hrs: Not irritating	
Propane	Irritating	
Diisononyl phthalate	Rabbit, 24 - 72 hrs: Not irritating	
Respiratory or Skin Sensitization Product:	No data available.	

Carcinogenicity Product:	No data available.		
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified			
US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified			
US. OSHA Specifically Regulate No carcinogenic component	ed Substances (29 CFR 1910.1001-1050): ts identified		
Germ Cell Mutagenicity			
In vitro Product:	No data available.		
In vivo Product:	No data available.		
Reproductive toxicity Product:	No data available.		
Specific Target Organ Toxicity - Product:	• Single Exposure No data available.		
Specific Target Organ Toxicity - Product:	• Repeated Exposure No data available.		
Aspiration Hazard Product:	No data available.		
Other effects:	No data available.		
12. Ecological information			

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish Product:

No data available.

Specified substance(s): Diisononyl phthalate

LC 50 (Fathead minnow (Pimephales promelas), 96 h): > 0.1 mg/l Mortality



Aquatic Invertebrates Product:	No data available.	
Specified substance(s): Diisononyl phthalate	EC 50 (Opossum shrimp (Americamysis bahia), 96 h): > 0.39 mg/l Mortality EC 50 (Water flea (Daphnia magna), 48 h): > 0.06 mg/l Intoxication	
Chronic hazards to the aquation	c environment:	
Fish Product:	No data available.	
Aquatic Invertebrates Product:	No data available.	
Toxicity to Aquatic Plants Product:	No data available.	
Persistence and Degradability		
Biodegradation Product:	No data available.	
BOD/COD Ratio Product:	No data available.	
Bioaccumulative potential Bioconcentration Factor (BC Product:	CF) No data available.	
Partition Coefficient n-octanol / water (log Kow) Product: No data available.		
Specified substance(s): Methyl ether (Dimethyl ether)	Log Kow: 0.10	
Isobutane	Log Kow: 2.76	
Propane	Log Kow: 2.36	
Butane	Log Kow: 2.89	
Mobility in soil:	No data available.	
Other adverse effects:	Harmful to aquatic organisms.	
13. Disposal considerations		

13. Disposal considerations

14. Transport information	
Contaminated Packaging:	No data available.
Disposal instructions:	Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

TDG:

UN1950, AEROSOLS, 2.1

CFR / DOT:

UN1950, Aerosols, 2.1

IMDG:

UN1950, AEROSOLS, 2.1

Further Information:

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
Methyl ether (Dimethyl	100 lbs.
ether)	
Isobutane	100 lbs.
Propane	100 lbs.
Butane	100 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard Delayed (Chronic) Health Hazard

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification Chemical Identity Reportable quantity

Chemical Identity		Reportable quant	
	ether	(Dimethyl	100 lbs.
ether)			
Isobuta	ne		100 lbs.
Propane	е		100 lbs.
Butane			100 lbs.
Diisono	nyl phth	alate	

SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
2-Propanol, 1-chloro-,	10000 lbs
phosphate (3:1)	
Methyl ether (Dimethyl	10000 lbs
ether)	
Isobutane	10000 lbs
Propane	10000 lbs
Butane	10000 lbs
Diisononyl phthalate	10000 lbs

SARA 313 (TRI Reporting)

<u>Chemical Identity</u> Polymethylene polyphenyl isocyanate

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Chemical Identity	Reportable quantity
Methyl ether (Dimethyl	lbs
ether)	
Isobutane	lbs
Propane	lbs
Butane	lbs

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm. Diisononyl phthalate Carcinogenic. 12 2014

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Polymethylene polyphenyl isocyanate Methyl ether (Dimethyl ether) Isobutane Propane

US. Massachusetts RTK - Substance List

Chemical Identity

Methyl ether (Dimethyl ether) Isobutane Propane



US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Methyl ether (Dimethyl ether) Isobutane Propane

US. Rhode Island RTK

Chemical Identity

Methyl ether (Dimethyl ether) Propane

International regulations

Montreal protocol not applicable

Stockholm convention

not applicable

Rotterdam convention

not applicable

Kyoto protocol not applicable

VOC:

Regulatory VOC (less water and exempt solvent)	:	153 g/l
VOC Method 310	:	0.18 %

LANDCON

Inventory Status: Australia AICS:	One or more components in this product are not listed on or exempt from the Inventory.
Canada DSL Inventory List:	All components in this product are listed on or exempt from the Inventory.
EINECS, ELINCS or NLP:	One or more components in this product are not listed on or exempt from the Inventory.
Japan (ENCS) List:	One or more components in this product are not listed on or exempt from the Inventory.
China Inv. Existing Chemical Substances:	All components in this product are listed on or exempt from the Inventory.
Korea Existing Chemicals Inv. (KECI):	One or more components in this product are not listed on or exempt from the Inventory.
Canada NDSL Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
Philippines PICCS:	One or more components in this product are not listed on or exempt from the Inventory.
US TSCA Inventory:	All components in this product are listed on or exempt from the Inventory.
New Zealand Inventory of Chemicals:	One or more components in this product are not listed on or exempt from the Inventory.
Japan ISHL Listing:	One or more components in this product are not listed on or exempt from the Inventory.
Japan Pharmacopoeia Listing:	One or more components in this product are not listed on or exempt from the Inventory.

16.Other information, including date of preparation or last revision

Revision Date:	06/29/2017
Version #:	2.1
Further Information:	No data available.



Disclaimer:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.