



LANDSCAPE PRODUCTS

2023

WWW.BRICKSTOPEDGE.COM

1 800-565-2599

MISSION STATEMENT

At Brickstop Corporation our goal is to manufacture, distribute and supply our dealer network with the finest quality Paver Edgings and Landscape Accessories, serving the professional landscape contractors' specific needs and requirements.

We strive to provide the best tools possible so you can do the best job possible!

Our customers' needs are our priority. If you can't find a product you require, we are happy to source it for you.

Thank you for your interest in our fine line of superior products.

We're the "good guys to deal with!"

- 02 PAVER EDGING:** B.E.A.S.T
- 03 PAVER EDGING:** Edgeall low profile and Simflex Flex edging
- 04 PAVER EDGING:** Brickstop Original Aluminum paver edging
- 05 PAVER EDGING:** Aluminum paver edging and Low Profile Aluminum Edging
- 06 LANDSCAPE EDGING:** Edgestar 4" Aluminum Lawn Edging
- 07 ADHESIVE:** Brickstik XS
- 08** Shims, marking paint, tarps
- 09** Plastic lawnedge and wall drains. inground drain kit
- 10** Grabo Vacuum Lifter
- 11** Geogrid Retaining Wall System
- 12-13 BLOCK AND PAVER SPLITTERS**
- 14 LIFTING EQUIP:** bundle clamps, curb clamps, sections clamp, pallet fork
- 15 LIFTING EQUIP:** treadsetter, scissor clamp, curblifter & tamper mat
- 16 PAVER TOOLS:** slab and block lifters
- 17 PAVER TOOLS:** screed machine, slab transporter
- 18 HAND TOOLS:** replaceable head mallets, extractor, pry bar, screed bars/rail
- 19 HAND TOOLS:** -mallets, hammers, rakes, gloves, caulking guns, chisels, brooms
- 20-21 LIGHTS:** LEDZE retaining wall lights, stair tread lights
- 22-25 LIGHTS:** LEDEZE recessed lights and recessed light kits
- 26 LIGHTS:** LEDEZE spot and path lights
- 27-28** Wires, Transformers, Accessories
- 29** Big Max Pro



B.E.A.S.T. PLASTIC PAVER EDGING #350

Over thirty years of experience and millions of feet of paver installations have gone into the development of the B.E.A.S.T.

**NORTH AMERICA'S
#1 BEST SELLING
PAVER EDGING**

B.E.A.S.T. #350




- Just one piece does both straight lines and curves
- Staggered lattice nailing to ensure maximum hold
- Extra wide base for increased stability
- Easy to install with 10" or 12" nails
- Allows natural vegetation growth
- 100% recycled plastic

Wall: 1.75"
Foot: 3"
Width: 2.5"
Available in
8 ft lengths



Spiral spikes #400
Sold in individual 50lb. boxes or
by the pallet (48 cases)
10" Bright Steel Spiral: approx.
235 pcs.





EDGE-ALL LOW PROFILE PAVER EDGING #370

EDGE-ALL



EDGE-ALL #370



- Ideal for thin pavers, wetcast stone, and flagstones
- Super strength
- Super flexibility
- Amazing straight lines
- Perfect curves

Wall: 1.5" Foot: 2.25" Available in convenient 6 ft lengths

Spiral spikes #400


Sold in individual 50lb. boxes or
by the pallet (48 cases)

10 Bright Steel Spiral: approx. 235 pcs.



SIMFLEX PLASTIC PAVER EDGING #250

**SIMPLE,
FLEXIBLE,
AFFORDABLE**



SIMFLEX #250



- Installs easily
- Requires no cutting for curves; suitable for both straight and radius installations
- Ideal for driveways, walkways and patios
- Thick profile manufactured from recycled plastic

Wall: 1.625" Foot: 2.75" Thickness: 0.31" Convenient 7'6" sections

SIMFLEX
PAVER EDGING



ALUMINUM PAVER EDGING #150

Brickstop Advantages:

THE ORIGINAL L-SHAPED PAVER EDGING

Because your reputation is at stake.


BrickStop Aluminum Edging bends to your needs no matter how complex your interlocking brick and paving stone design. Made of aluminum, it's strong enough for straight lines, yet flexible enough to follow the most intricate curved patterns, with optional installation of pavers on either side of the edging.

BrickStop Aluminum Edging prevents the shifting and movement of pavers that could turn your project into an eyesore. BrickStop comes through with a patented design that lets you form 90 degree angles without cutting. Its quick "either side" installation helps bring labour costs down and creates the long lasting results that will keep customer referrals coming year after year.

- Convenient 8'4" lengths
- Made of non-rusting recycled aluminum
- Allows installation of pavers on either side of edging
- Completely hidden from view
- One piece for straight or curved patterns
- 90 degree angles without cutting
- Will not warp in heat or crack in cold
- No loss of material due to overlap at joints
- Includes plastic joiner tab



ORIGINAL #150



Spiral spikes #400

Sold in individual 50lb. boxes or
by the pallet (48 cases)

10" Bright Steel Spiral: approx.
235 pcs.

Length: 8'4" (2.54m)

Height: 1.5" (35mm)

Thickness: 0.125" (3.2mm)

Flange: 1.5" x 4" (35mm x 102mm)

Alloy: 6063 aluminum

T-5 hardness

US Patent




ALUMINUM PAVER EDGING #170

#170 - THE ECONOMY L-SHAPED PAVER EDGING

An economical option to our original #150 Paver Edging, with all the same attributes that aluminum paver edging offers.

Allows installation of pavers on either side of edging.

Length: 8'4" (2.54m)
Height: 1.5" (35mm)
Thickness: 0.105" (2.67mm)
Flange: 1.45" x 4" (34mm x 102mm)
Alloy 6063 Aluminum
t-5 Hardness



ECONO #170

LOW PROFILE ALUMINUM EDGING #120



Brickstop's Lowest Profile Aluminum Edging is ideal for use with 20mm porcelain pavers, flagstone, wetcast shapes and bluestone. Our aluminum edging bends to your needs no matter how complex your design requirements. Made of aluminum, it's strong enough for straight lines, yet flexible enough to follow the most intricate curved patterns.

LOW-PROFILE ALUMINUM EDGING #120

- Convenient 8' lengths
- Made of non-rusting recycled aluminum
- Allows installation of pavers on either side of edging.
- Completely hidden from view
- One piece for straight or curved patterns
- 90 degree angles without cutting
- Will not warp in heat or crack in cold
- No loss of material due to overlap at joints



Length: 8' (2.44m)
Height: 5/8" (17mm)
Thickness: 0.125" (3.2mm)
Flange: 1.5" x 4" (35mm x 102mm)
Alloy: 6063 aluminum
T-5 hardness





ORIGINAL #210

Sizes: 1/8" by 4" (3.2mm by 100mm)
residential/commercial

Finishes: Mill finish; natural aluminum or
black anodized

Length: 8'0" (2.44M) sections – nail every
23"

Nails: 10" by 3/8" spiral steel nails (not
included)

Convenient 8' Sections


EDGE STAR LANDSCAPE EDGING #210

EDGE STAR ADVANTAGES:

- Keyhole Interlocking System: Lengths are easily and quickly connected.
- Superior Reinforcement – 8' lengths: Rigid enough to provide perfectly straight lines; flexible enough for the most demanding curves.
- No need to use heavier gauge or more costly material to maintain straight runs.
- Heavy duty 1 1/8" nail loops located every 23": allows for more frequent nailing positions, providing superior anchoring where required.
- Steel Nail Anchoring: Spiral 10" nails readily available.

EDGE STAR is produced in 1/8" thickness. Our product's design will maintain straight lines even for the heaviest commercial applications. EDGE STAR is ideally suited for use as a planting bed edging in both residential and commercial applications. Other uses include edging for walkways, jogging trails, running tracks, asphalt borders and maintenance strips.

Available in black anodized.



ORIGINAL #210 WITH SNAP-IN INTERLOCKING TABS



Spiral spikes #400

Sold in individual 50lb. boxes or
by the pallet (48 cases)

10" Bright Steel Spiral: approx.
235 pcs.

KEEPS GARDEN BEDS CLEAN AND NEAT!



**EXTRA
STRENGTH**

HEAVY DUTY PREMIUM POLYURETHANE FOR CONCRETE AND STONE

Brickstop Brickstik is a one-component premium polyurethane adhesive. Specially formulated to adhere to wet or frozen surfaces. Brickstik is specifically engineered for the Concrete and Paver/Retaining wall industry.

Brickstik is designed to resist water and frost to permanently bond stone, brick, and concrete. Brickstik can be applied in a wide installation temperature span and will not freeze.



FEATURES AND BENEFITS:

- VOC Compliant
- Environmentally sensitive
- Easy gunning – user friendly
- Fast curing – quicker adhesion

#1010 10.5 OZ (313ml), 24/CASE

#1028 29 OZ (858ml), 12/CASE

SUBSTRATE BOND STRENGTH	24 HOURS	7 DAYS:
Concrete to Concrete	300	350

BEAD SIZE IN INCHES (MM)	LINEAL FEET PER 313 ML	LINEAL FEET PER 858 ML
1/8 (3)	129	353
3/16 (5)	57	156
1/4 (6)	32	87
5/16 (8)	20	54
3/8 (10)	14	38




EZ-SHIM™ #512

THE ALL PLASTIC LOAD BEARING SHIM

FEATURES AND BENEFITS:

- LOAD BEARING up to 8,000 psi • WEATHERPROOF
- Easy break off points • Handles big nails and screws
- Injection molded into sheets of ten / 36 sheets per case



LOAD TESTED				
Compression (downward force) until deflection. Results measured in psi (avg.)				
		HEEL	MID	TOE
EZ-SHIM		8,029 psi	7,993 psi	7,947 psi
CEDAR		1,367 psi	1,711 psi	5,370 psi
PINE		1,848 psi	2,288 psi	4,215 psi

PROFESSIONAL'S CHOICE FOR:

- appliances • bathrooms
- construction
- decks • fountains • glass block
- heavy load applications
- jacuzzis + spas
- landscape architecture
- marine • paving stone systems
- precast concrete & columns
- stone & masonry
- vinyl decking systems

BRICKSTOP INVERTED MARKING PAINT #550

FEATURES AND BENEFITS:

- Ultra bright
- Inverted tip
- Fast dry – non clogging
- Water based – safe on grass and plants
- Lead free – VOC Compliant
- Colors – Fluorescent Orange, Fluorescent Red, Hot Pink, White
- 12 – 482 gr. cans/cas
- 17 oz.



TARPS




ALL-SEASON CONSTRUCTION QUALITY, MULTI-PURPOSE TARPS

- 8x8 weave
- 4 spare ropes
- double reinforced corners
- waterproof + rot-proof
- rope reinforced hems
- grommets every 3 ft
- 90 grams/sq meter

#701	6FT X 8FT
#702	8FT X 10FT
#703	9FT X 12FT
#704	10FT X 15FT
#705	12FT X 18FT
#706	15FT X 20FT
#707	18FT X 24FT
#708	20FT X 30FT
#709	24FT X 40FT
#710	30FT X 50 FT
#711	40FT X 60FT

GREENLINE LAWN/LANDSCAPE EDGING



PRO-T #240



- Corrugated side wall construction
- Rigid yet flexible, will easily follow the contours of your design
- "T"-shaped base resists frost heave
- Convenient, easy-to-handle 8 foot lengths
- 10 strips per bundle (anchoring stakes, straight or corner connectors sold separately)

PRO-V #260



- Clean lines provide for ease of installation
- "V"-shaped base resists frost heave
- Convenient, easy-to-handle 8 foot lengths
- Economically priced
- 10 strips per bundle (anchoring stakes, straight or corner connectors sold separately)

ACCESSORIES

#261 9" Galvanized Steel Anchoring Stakes

#262 6" Straight Connector

#263 90 Degree Corner Connector



UNIVERSAL WALL DRAIN PRO #WDP03/WDP04

- designed for all 3"-8" block easy installation
- aesthetically pleasing
- reduced labour costs
- height easily modified for use with any size block or timber

#WDP03

- male end snaps into 3" piping


#WDP04

- male end snaps into 4" piping

CHOOSE YOUR COLOUR



grey tan black



47" neck extension available



DRAINAGE KIT #PC100A

This is ideal for below grade driveways.

DRAINAGE KIT INCLUDES:

- 3 drains (39" each)
- 3 stainless steel grates
- 1 solid end cap (#DN75)



REPLACEMENT CLIP #PC100C

(FOR #PC100A)

END CAP FOR 4" PIPE #PC100B



SOLID END CAP #DN75

(FOR #PC100A)



GRABO Pro 2.0

"Heavy Lifting Made Easy"

PORTABLE ELECTRIC VACUUM LIFTER

GRABO PRO-LIFTER 2.0 #530



The GRABO Pro-Lifter is designed for professionals. The tool is portable and handy. Equally effective on smooth as well as coarse surfaces. Has a pumping capacity of 20 liters per minute, a best in class. Say good-bye to unreliable, and often dangerous, manual suction cups for the job. With GRABO Pro you double your work efficiency with enhanced safety.

Ergonomically designed to provide better grip and less fatigue when moving heavy objects. An effective vacuum lifter even for dusty, semi-porous or rough surfaces. Works perfectly with glass, wood, ceramic tiles, metals and other materials. The powerful vacuum pump and rechargeable battery pack are concealed within the grab handle.

KIT INCLUDES:

GRABO Pro-Lifter comes as a complete unit, with pre-installed battery and vacuum seal.


That is not all. There are other accessories in the kit, including a multi-socket charger and a heavy duty carry bag. The complete kit is packaged in a functionally designed colorful box.

Package Contents:

1 GRABO Pro tool (2021 model with digital display)
1 multi-socket charger 1 seal (preinstalled on the tool)
1 battery (preinstalled on the tool)
1 tough Oxford fabric carry bag Operator's manual in English



ACCESSORIES



ERGUO S1 portable lifting attachment #525

Reduce work related fatigue or injuries. AVOID an impact on your back from working long days in a bent down position to lift materials.

Operate the GRABO tool without bending. The attachment easily fits into the 4 lifting lugs next to the grab handles of the tool. Simply activate the GRABO tool to lift your material, lift and position the material, and release the tool from the material – in one swift motion without bending down. The actuator on the handle bar helps in controlling the functions. Compatible with all models, except the Grabo H as that is designed for simpler and shorter duration usage.



High-capacity spare battery #523

If you are working in a remote location or need spare batteries, then just order as many from any of our suppliers.

These batteries are as powerful as the ones supplied with the tool. A full battery charge delivers up to 900 operating cycles or 1.5 hours of uninterrupted run time. The high-capacity battery can be used with all models except GRABO H.



Extra Seals #522

With continuous usages the seals wear out. When the GRABO seal finally wears out, the lifting capacity diminishes. In this case you can replace the worn seal by hand within seconds.

You can use the spare one supplied with the kit. Alternatively you can buy as many from any of the distributors or retailers. This patented high friction foam-rubber seal fits all GRABO models.





RockSeal™ #524 is a new seal system that fits all GRABO models, including Nemo GRABO, GRABO Pro lifter-20, RTC tools GRABO, FXAH-120 Probst GRABO, Topspin Powertools GRABO and other co-branded units.

This patented seal is designed specifically for extremely rough stone & rock surfaces with up to 10 mm surface profile.

WILL NOT WORK WITH
POROUS STONE.

GRABO Pro 2.0 Weight lifting safety parameters



Material / Direction	Glass	Ceramic tiles	Metal	Plastic	wood	Rough Slate	Rough Concrete	Dry Wall
 PERPENDICULAR HOLD	375 Lbs (170 kg)	375 Lbs (170 kg)	242 Lbs (110 kg)	220 Lbs (100 kg)	220 Lbs (100 kg)	176 Lbs (80 kg)	176 Lbs (80 kg)	165 Lbs (75 kg)
 PARALLEL HOLD	265 Lbs (120 kg)	265 Lbs (120 kg)	242 Lbs (110 kg)	220 Lbs (100 kg)	143 Lbs (65 kg)	176 Lbs (80 kg)	176 Lbs (80 kg)	143 Lbs (65 kg)

GRABO




GRABO #520

KIT INCLUDES: • 2 - rechargeable battery packs
• Charger • Canvas bag • Extra foam rubber seal • Filter



Material / Direction	Glass	Ceramic tiles	Metal	Plastic	Wood	Rough Slate	Rough Concrete	Dry Wall
 PERPENDICULAR	375 Lbs	375 Lbs	242 Lbs	220 Lbs	220 Lbs	176 Lbs	176 Lbs	165 Lbs
 PARALLEL	265 Lbs	265 Lbs	242 Lbs	220 Lbs	143 Lbs	176 Lbs	176 Lbs	143 Lbs

GEOGRID RETAINING WALL SYSTEM




- **BG100** 4' X 50' DEALER DISPLAY, 22 SQ.YDS
- **BG150** 6' X 150', 100 SQ.YDS.
- **BG200** 6' X 300', 200 SQ.YDS.
- **BG350** 6' X 300', 200 SQ.YDS.

• **OTHER SIZES AVAILABLE UPON REQUEST**


12 rolls/case, unidirectional Geogrid provides advanced options for dealing with common civil engineering problems and difficult soils. The highest quality for retaining walls, reinforced steep slopes and embankments over soft soils.

Geogrid is constructed of high molecular weight and high tenacity polyester yarns utilizing a complex knitting process and low temperature coating technology to provide superior engineering properties. UV stabilized coating provides further chemical and mechanical benefits.



GEOGRID BY BRICKSTOP IS USED FOR:

- Retaining Walls
- Timber Walls
- Steep Slopes
- Landscape Repair
- Paver Reinforcement



SPECS

Biaxial **LTDS**: MD 822 lbs/ft

CMD: 882 lbs/ft

Recommended for wall heights up to 6'



BLOCK & PAVER SPLITTER #FBS40

Designed for splitting: • Retaining Wall • Cap Stone • Rough Cut Face Stone • Paving Stones • Most flat stone materials on the market today

Tough metal hubcap and rubber wheels.

Spring loaded tray for angled “undercuts” when cutting pavers

Easy one dial system: (unlike two dials) for perfect cuts every time (No need to set screw every time when cutting same size stone)

GREAT CUTTING RANGE:

Cutting Width: 16”
Cutting Height: 8.3”
Weight: 135 LBS.



HYDRAULIC BLOCK AND BRICK SPLITTER #FBS60

Designed for splitting: • Retaining Wall • Cap Stone • Rough Cut Face Stone • Granite • Paving Stones - and most other flat stone materials on the market today • Over 20 ton cutting force

Spring loaded tray for angled “undercuts” when cutting pavers

Adjustable blade height: for all ‘flat faced’ products up to 235 mm

Heavy weight construction: takes a lot of abuse

Reversible blades: with 3 cutting edges



Cutting Width: 25.6” Width: 32.28”
Cutting Height: 9.25” Height: 40.95”
Length: 28.74” Weight: 218.26 lbs



BLOCK & PAVER SPLITTER

#BSN-007

- 2 Spindles for height adjustment
- Spring loaded with plate holder for stone
- Galvanized blade
- Powder coated with 7 Year Warranty

GREAT CUTTING RANGE:

Cutting Width: 17"

Cutting Height: 1/2" – 6"

Weight: 125 LBS.

BLOCK & PAVER SPLITTER

#BSN-008

- 2 Spindles for height adjustment
- Spring loaded with plate holder for stone
- Galvanized blade
- Powder coated with 7 Year Warranty

GREAT CUTTING RANGE:

Cutting Width: 17"

Cutting Height: 1/2" – 11.8"

Weight: 145 LBS.



PAVER CUTTER

#MBSN-009

- Powder coated with 7 Year Warranty

GREAT CUTTING RANGE:

Cutting Width: 4.5"

Cutting Height: 0" – 4.5"

Weight: 6 LBS.



Our clamps are made by BSV in Denmark. They have been making clamps for 110 years and your operators will fight for the truck that's equipped with the BSV.

All clamps protect the product with rubber contact pads for safe and easy loading and offloading. All clamps are gravity controlled – they open when rested and close when lifted.

We can supply custom clamp solutions if you require a clamp or grab not shown. Many other sizes and configurations are available by special order. Be sure to describe your needs to your salesman as not all clamps are suitable for fork-truck use.




CLAMP #BSV 32/38

For moving the heavier stuff. The 32/38 will safely lift loads from 32" to 38" and up to 4070 lbs. This clamp will perform.



SCISSOR CLAMP MODEL #10-38

A lightweight clamp suitable for lifting curbs and other narrow stones. Lifts from 4" to 15" at a maximum safe working load of 1540 lbs.



JED CLAMP IT / TREAD/CURB CLAMP

J900	4" - 22" max width	900lbs
J2400	8" - 32" max width	2400lbs
J3000	12" - 42" max width	3000lbs

SCISSOR CLAMP #BSV MULTI 760/50Z



The width of this clamp can be adjusted from 15.75" to 42". A maximum safe working load of 3,300 lbs, the scissor clamp is extremely versatile and ideal for heavy-duty multi-purpose use. Pictured with optional fork yoke.

PALLET FORK MODE PG 100 / 2-SSB-SBL SELF-BALANCING

This model has a spring-loaded head so that the fork always remains horizontal, loaded or unloaded. Also available with 'bow' for deliveries on uneven ground.



MONTOLIT CURB CLAMP #A016 (R)

Mechanical or hand-lifter. 3.15"-7" 440lb capacity



SECTIONS CLAMP

#1002

With the versatile lifting range of 9"-42" and a safe working load of 1600 lbs., this clamp is capable of picking up 1-2 sections of pavers at a time. The 1002 is perfect for separating cubes of pavers and handling materials on site. Fork Yoke Attachment available. **Made in Canada.**



TREADSETTER

#600T/1200T

Eliminate finger smashing, back breaking, time consuming and work-related injuries using the new TREADSETTER. The Treadsetter is designed to handle various step treads from 12"-35" in depth – up to 4" in width and with a 6"-8" rise.

This new product is easily adjusted to tread width and balance. The tool has pivot-style urethane ends to reduce slippage and protect the stone, as well as servicing other applications in various weather conditions. Ideal for Rosetta Stone.

TWO SIZE AND WEIGHT CAPACITIES

1200T: 1200 lb Treadsetter, 20"-35" in depth

600T: 600 lb Treadsetter, 12"-25" in depth



2 MAN CURB LIFTER #2CL425


- Max weight: 330 lbs. Detachable for Bobcat
- Galvanized - non-rusting
- 7 year Warranty not including pads
- Range: 19.5" - 43" Weight: 25 lbs

TAMPER MAT PRO #510

High-Modulus Polyethylene Thermoplastic

- Attaches to many different plate compactors with its universal size of 19" wide x 24" long x 0.25" thick. Flexible front lip.
- Matt includes 1 pair universal aluminum mounting brackets.
- Quick attachment at any point during a project without slowing down the job.
- Keeps the travel speed and compaction force you need when making that critical final pass over the pavers and poly sand.
- Lasts a long time – high abrasion resistance and low coefficient of friction.
- May be cut down to small sizes





12" SLAB LIFTER

#M-001

- Lifts from 4" - 12.75"
- 2 spring steel teeth included
- Galvanized steel
- Replaceable teeth
- 7 year warranty



20" BLOCK/PAVER LIFTER

#M-002


- Lifts from 11.4" - 20.8"
- Lifts up to 50 lbs.
- Tough powdercoat
- 7 year warranty



24" GIANT SLAB LIFTER

#M-003

- Lifts from 7.9" - 24"
- Lifts up to 130 lbs.
- Galvanized steel
- Ergonomic design
- 7 year warranty



SUPER SCREED LEVELLING MACHINE

#M-510

Perfect for a quick and accurate screening for pavers
Good for levelling planting beds, gravel and wood chip areas, rooftop beddings

- Minimum width setting 29.2"
- Maximum width setting 48.8"
- Tough powdercoat
- Scraper panel made of non-rusting steel
- Galvanic zinc plating
- 7 year warranty
- Weight 46.3 lbs.
- 9.8" diameter rubber wheel, height adjustable
- Dimensions: 28.8" x 19.7" x 15.8"



24" SLAB TRANSPORTER / CADDY

#ST-430

Ergonomic design can lay slabs hands free

- Lifts from 11.8" - 23.6"
- Weight 33 lbs.
- Tough powdercoat
- 7 year warranty




PAVER MALLET
#602-6

13" Handle - 2³/₈" Head
3.5lbs.

This mallet is made of iron and has replaceable inserts. It's perfect for wall projects. Comes with a life-time warranty.

INSERTS INCLUDED:

1. Black Composite Rubber / medium hard
2. Red Plastic / hard


WALL MALLET
#602-8

19" Handle - 3¹/₈" Head
6.6 lbs.

Ideal for retaining wall cap stones. Comes with a life-time warranty.

INSERTS INCLUDED:

1. Black Composite Rubber / medium hard
2. White Nylon / hard


BP PAVAR MALLET
#696-8

9.5" Handle - 2" Head
3.2 lbs.

This is a soft-face mallet. It is designed with two different inserts of varied hardness. This is a great mallet to use for small adjustments without damaging your products. Comes with a life-time warranty.

INSERTS INCLUDED:

1. White Nylon / hard
2. Red Plastic / hard



DEAD BLOW (40MM) #636-4 14" Handle - 4" Head, 1.6 lbs.

DEAD BLOW (70MM) #636-7 14¹/₂" Handle - 4¹/₂" Head, 5 lbs.

This dead-blow mallet has a steel head with replaceable nylon inserts. A sealed container, within the insert, is filled with a steel shot for a rebound-free strike. Comes with a life-time warranty.

INSERTS INCLUDED: 1. White Nylon / hard



SLEDGE MALLET #602-7

31" Handle - 3¹/₈" Head
7.4 lbs.

This sledge mallet is the perfect tool for damage-free, major adjustments. Comes with a life-time warranty.

INSERTS INCLUDED:

1. Black Composite Rubber / medium hard
2. White Superplastic / medium hard


REPLACEMENT INSERTS


WHITE NYLON

For item #602-8 use insert **#620-88**

For item #636-4 use insert **#650-84**

For item #636-7 use insert **#650-87**

For item #696-8 use insert **#698-85**



RED PLASTIC

For item #602-6 use insert **#620-66**

For item #696-8 use insert **#696-65**



WHITE SUPERPLASTIC

For item #602-7 use insert **#620-78**



BLACK COMPOSITE RUBBER

For item #602-6 use insert **#620-26**

For item #602-7 use insert **#620-28**

For item #602-8 use insert **#620-28**


PAVER EXTRACTOR GALVANIZED
#502N

Adjustable: 7.8"-11.8"
Weight: 10 lbs

7 YEAR WARRANTY
(excluding teeth)


PAVER-PRY
#504

The ideal tool for positioning pavers and checking joints.


ALUMINUM SCREED BAR

Lightweight, hollow. 1" x 4". Lengths: 4', 6', 8'.

#509-4 - 4FT

#509-6 - 6FT

#509-8 - 8FT


ALUMINUM SCREED RAIL #508

Helps set levels. Lightweight. 1" x 8'.



HAND TOOLS



RUBBER MALLET #603

32 oz, Case of 24



MASON HAMMER #607

24 oz. with fiberglass handle,
case of 6



DOUBLE HEADED PAVER MALLET #412

Galvanized Steel 15" Handle
Flat Head, weight: 5.5 lbs



DEAD BLOW #605

4 lbs, case of 12




CLUB HAMMER #602

2.5 lbs. with fiberglass handle,
case of 6



GUMMY MALLET #601

32 oz, made in Italy



TORPEDO LEVELS #612


12"



3" CHISEL #613

4" CHISEL #614

Brick bolster, case of 25.



LANDSCAPE/GRADING RAKE

The strongest aluminum rake money
can buy! All-aluminum construction –
lightweight, 5.5 lbs. (36" and 48")

Extra thick tines, up to 50% more
material and an extended striking edge
to reduce dirt buildup. 66" aluminum
alloy handle is powder-coated to
eliminate blackened hands. Head
connection is secured with a solid
aluminum plug for maximum strength.
Wrap-around bracing.



CAULKING GUN # 413

9" - 24/case
13" - 12/case



25' TAPE

#609

Case of 6.



CAULKING GUN #419



SQUEEGEE + POLE #805

Case pack of 12.



PAVER PERSUADER #503

New galvanized steel 36"
handle, 8 lbs.



CANADIAN MADE, INDUSTRIAL QUALITY BROOMS

Stiff bristle, heavy sweep
exterior use.



18" heavy duty broom #801

24" heavy duty broom #802



BRICK WASHING BRUSH #806

6" x 2.5". Natural fiber for
cleaning brick, stone, etc.
Case pack of 12.



DRIVEWAY APPLICATOR + POLE #804

Case pack of 12.

ECONOMY KNIT WITH COATED PALM #LC2009

Form knitted shell with latex coating
offers an excellent grip. Flexible,
comfortable and durable. Sold by
the dozen pair.

One size fits all.



The easiest way to buy wall lights is by shopping for one of our many lighting kits. They come with everything you need like transformers, timers, wires and more. All our kits can be expanded to add more lights. You can add additional lights up to the wattage supported by the transformer or power supply. If you need to add more lights you can upgrade the transformer to a higher wattage. All our lights must be used with a Transformer.

ALL KITS

Voltage: 12V AC/DC
Beam Degree: 120°
Housing: Stainless Steel
Dimensions: 6-7/8" x 3-3/4" x 1/2"
Pigtail Length: 54"

Wattage: 2W
Color Temp: Warm White - 2700K
Lumen Output: 180 Lumens
Number of LEDs: 6 SMD

PLUG & PLAY



- Outdoor Lighting
- Plug and Play Wiring - ends can be clipped off to use with a HARDWIRE system
- Excellent for hardscape applications
- Ideal for adding light to any outdoor application
- Low power consumption - 2W

- High Brightness SMD chip technology
- cETLus Listed
- With waterproof connector/plug - IP67
- Dimmable (when used with a dimmable transformer)
- LED light strip is detachable and replaceable

• **Available Trim Colors: Black and Grey**

These lights are also available with a swivel light strip

120° Rotation of Swivel Light

Direct your light output where you need it to focus



Hardscape Retaining Wall Light LED

#EZWL2-BLK

#EZWL2-GREY

PLUG & PLAY



Hardscape Retaining Wall Lights KIT 4 LED Wall Lights with Wire-Harness Splitter

#EZKITWL4-BLK

#EZKITWL4-GREY

Kit Includes:

- 4 Wall Lights
- 1 Wire Harness Splitter to connect lights to transformer (transformer sold separately)

PLUG & PLAY



Hardscape Retaining Wall Lights KIT 4 LED Wall Lights with Transformer and Wire Splitter

#EZKITWL4TW-BLK

#EZKITWL4TW-GREY

Kit Includes:

- 4 Wall Lights
- 1 Transformer 36W (non-dimmable)
- 1 Wire Harness Splitter to connect lights to transformer

PLUG & PLAY



Retaining Wall Light KIT 4 LED Wall Lights with 36-Watt Transformer, Photocell Timer, Wire-Harness and 10-foot Extension Cable

#EZKITWL4SET-BLK

#EZKITWL4SET-GREY


Kit Includes:

- 4 Wall Lights
- 1 Transformer - 36 Watts
- 1 Photocell Timer
- 1 Wire Harness to connect lights to transformer
- 1 Extension Cable - 10ft

PLUG & PLAY



RETAINING WALL AND STAIR LIGHTS



- Outdoor Lighting
- Excellent for hardscape applications
- Ideal for adding light to any outdoor application including rock walls and retaining walls
- Low power consumption - 1.8W
- Color Temperature: Warm White 2700K
- Length: 6.9"
- Wiring: Plug & Play

Hardscape Retaining Wall Light 6.9" Brown Trim - 2700K Warm White

#EZWL845PP



Hardscape Retaining Wall Light 6.9" Grey Trim - 2700K Warm White

#EZWL836PP



Hardscape Retaining Wall Light LED 13.2" Brown Trim - 2700K Warm White

#EZWL855PP



Hardscape Retaining Wall Light LED 13.2" Grey Trim - 2700K Warm White

#EZWL866PP



LED Railing Light Strip 4" with Plug and Play Connector 2 Watts

#EZLS2

This LED light strip can be screwed directly into your wall or steps. It's also the replacement strip for our retaining wall light #EZWL2.



- Outdoor Lighting
- Plug and Play Wiring - ends can be clipped off to use with a HARDWIRE system
- Ideal for adding light to any outdoor application
- Low power consumption - 2W
- High Brightness SMD chip technology
- cETLus Listed
- With waterproof connector/plug - IP67

Voltage: 12V AC/DC
Beam Degree: 120°
Pigtail Length: 54"
Wattage: 2W
Color Temp: Warm White - 2700K
Lumen Output: 180 Lumens
Number of LEDs: 6 SMD



RECESSED LIGHTS

LED EZE

The easiest way to buy recessed lights is by shopping for one of our many lighting kits. They come with everything you need like transformers, timers, wires and more. All our kits can be expanded to add more lights. You can add additional lights up to the wattage supported by the transformer or power supply. If you need to add more lights you can upgrade the transformer to a higher wattage. All our lights must be used with a Transformer.



ALL KITS & LIGHTS

Voltage:	12V AC/DC	Pigtail Length:	11-3/4"
Lens:	Frosted	Wattage:	0.5W
IP Rating:	67	Lumen Output:	44
Mounting Hole Diameter:	1-1/4"	Number of LEDs:	6
Width of Bezel:	1-1/2"		

PLUG & PLAY



- Outdoor Lighting
- Plug and Play Wiring - ends can be clipped off to use with a HARDWIRE system
- Recessed Step and deck light
- Accent Light
- Display and cabinet light
- Spring clips allow simple pressure fit installation
- Fully sealed for outdoor use
- Dimmable (when used with a dimmable transformer)

LED Outdoor Recessed Lights KIT

4 Mini Deck/Patio Lights (Spring Fit) with Transformer and Wire Splitter - Small Round Metal Trim

#EZXITRT-TW

Color Temp: Warmer White 2700K

Kit includes:

- 4 Recessed Lights
- 1 Transformer 36W (non-dimmable)
- 1 Wire-Harness Splitter to connect lights to transformer



LED Outdoor Recessed Lights KIT - 4 Mini Deck/Patio Lights (Spring Fit) with Wire Harness Splitter - Small Round Metal Trim

#EZXITRT4

Color Temp: Warmer White 2700K

Kit includes:

- 4 Recessed Lights
- 1 Transformer 36W (non-dimmable)
- 1 Wire-Harness Splitter to connect lights to transformer



LED Outdoor Recessed Lights Kit - 8 Mini Deck Lights (Spring Fit) with Transformer, Timer, Wires and Cables, Forstner Drill - Small Round Trim

#EZXITRT8

Color Temp: Warmer White 2700K

Kit includes:


- 8 Recessed Lights
- 1 Transformer - 36 Watts (non-dimmable)
- 1 Photocell Timer
- 2 Wire-Harness Splitters to connect lights to transformer
- 1 Extension Cable - 10ft
- 1 Forstner Drill Bit



LED Outdoor Recessed Mini Deck/Patio Light (Spring Fit) - Small Round Metal Trim

#EZDLR12

Color Temp: Warmer White 2700K



RECESSED LIGHTS

ALL KITS & LIGHTS

Voltage: 12V AC/DC
 Lens: Frosted
 IP Rating: 67
 Mounting Hole Diameter: 1-1/4"
 Width of Bezel: 1-1/2"

Pigtail Length: 11-3/4"
 Wattage: 0.5W
 Lumen Output: 44
 Number of LEDs: 6

PLUG & PLAY



- Outdoor Lighting
- Plug and Play Wiring - ends can be clipped off to use with a HARDWIRE system
- Scoop trim for angled beam
- Recessed Step and deck light
- Accent Light
- Display and cabinet light
- Spring clips allow simple pressure fit installation
- Fully sealed for outdoor use
- Dimmable (when used with a dimmable transformer)



LED Outdoor Recessed Lights KIT

4 Mini Deck/Patio Lights (Spring Fit) with Wire Harness Splitter - Small Round Metal SCOOP Trim

#EZKITSC4

Color Temp: Warmer White 2700K

Kit includes:

- 4 Recessed Lights
- 1 Wire-Harness Splitter to connect lights to transformer (transformer sold separately)



LED Outdoor Recessed Lights KIT

4 Mini Deck/Patio Lights (Spring Fit) with Transformer and Wire Splitter
 Small Round Metal SCOOP Trim

#EZKITSC-TW

Color Temp: Warm White 2700K

Kit includes:

- 4 Recessed Lights
- 1 Transformer 36W (non-dimmable)
- 1 Wire-Harness Splitter to connect lights to transformer



LED Outdoor Recessed Lights Kit

8 Mini Deck Lights with Transformer, Timer, Wires, Forstner Drill
 Small Round Metal SCOOP Trim

#EZKITSC8

Color Temp: Warmer White 2700K

Kit includes:

- 8 Recessed Lights
- 1 Transformer - 36 Watts (non-dimmable)
- 1 Photocell Timer
- 2 Wire-Harness Splitters to connect lights to transformer
- 1 Extension Cable - 10ft
- 1 Forstner Drill Bit



LED Outdoor Recessed Mini Deck/Patio Light (Spring Fit)

Small Round Metal SCOOP Trim

#EZSC12

Color Temp: Warmer White 2700K



DRIVE-ON Recessed Light

EZD13

In-ground LED light that can be driven on, used in stone or concrete. For stone, cut hole with diameter of 2". For concrete, build wire protection channel using standard PVC pipe, light fits in standard 1.5" PVC coupler.



RECESSED LIGHTS

ALL KITS

Voltage:	12V AC/DC	Pigtail Length:	11-3/4"
Lens:	Frosted	Wattage:	0.5W
IP Rating:	67	Lumen Output:	44
Mounting Hole Diameter:	1-1/4"	Number of LEDs:	6
Width of Bezel:	1-1/2"		

- Outdoor Lighting
- Plug and Play Wiring - ends can be clipped off to use with a HARDWIRE system
- Recessed Step and deck light
- Accent Light
- Display and cabinet light
- Spring clips allow simple pressure fit installation
- Fully sealed for outdoor use
- Dimmable (when used with a dimmable transformer)

PLUG & PLAY



LED Outdoor Recessed Lights KIT

4 Mini Deck/Patio Lights (Spring Fit) with Wire Harness Splitter - Plastic Square Trim

#EZKITST4

Color Temp: Warm White 2700K

#EZKITST4-SS-BLK

*Black available in Stainless Steel

Kit includes:

- 4 Recessed Lights
- 1 Wire-Harness Splitter to connect lights to transformer (transformer sold separately)



LED Outdoor Recessed Lights KIT

4 Mini Deck Lights (Spring Fit) with Transformer & Wire Harness Splitter - Plastic Square Trim

#EZKITST-TW

Color Temp: Warmer White 2700K

#EZKITST-TW-SS-BLK

*Black available in Stainless Steel

Kit includes:

- 4 Recessed Lights
- 1 Transformer - 36 Watts (non-dimmable)
- 1 Wire-Harness Splitter to connect lights to transformer



LED Outdoor Recessed Lights KIT

8 Mini Deck Lights with Transformer, Timer, Wires, Forstner Drill Bit - Plastic Square Trim

#EZKITST8

Color Temp: Warm White 2700K

#EZKITST8-SS-BLK

*Black available in Stainless Steel

Kit includes:

- 8 Recessed Lights
- 1 Transformer - 36 Watts (non-dimmable)
- 1 Photocell Timer
- 2 Wire-Harness Splitters to connect lights to transformer
- 1 Extension Cable - 10-ft
- 1 Forstner Drill Bit



LED Outdoor Recessed Mini Deck/Patio Light (Spring Fit)

Plastic Square Trim

#EZDLS12

Color Temp: Warm White 2700K

#EZDLS12-SS-BLK

*Black available in Stainless Steel



LED Outdoor Recessed Lights KIT

4 Mini Deck Lights (Spring Fit) with Transformer, Wire Splitter - Big Round Metal Trim

#EZKITBRT-TW

Color Temp: Warmer White 2700K

Kit includes:

- 4 Recessed Light
- 1 Transformer - 36 Watts (non-dimmable)
- 1 Wire Harness Splitter to connect lights to transformer
- Width of Bezel: 2-3/4"



LED Outdoor Recessed Lights KIT

4 Mini Deck/Patio Lights (Spring Fit) with Wire Harness Splitter - Big Round Metal Trim

#EZXKITBRT4

Color Temp: Warmer White 2700K

Kit includes:

- 4 Recessed Lights
- 1 Wire Harness Splitter to connect lights to transformer (transformer sold separately)
- Width of Bezel: 2-3/4"



LED Outdoor Recessed Lights KIT

8 Mini Deck Lights (Spring Fit) with Transformer, Timer, Wires & Cables, Forstner Bit - Big Round Trim

#EZXKITBRT8

Color Temp: Warmer White 2700K

Kit includes:

- 8 Recessed Light
- 1 Transformer - 36 Watts (non-dimmable)
- 1 Photocell Timer
- 2 Wire Harness Splitters to connect lights to transformer
- 1 Extension Cable - 10ft
- 1 Forstner Bit Drill
- Width of Bezel: 2-3/4"



LED Outdoor Recessed Mini Deck/Patio Light (Spring Fit) Big Round Metal Trim

#EZDLB12

Color Temp: Warmer White 2700K

Width of Bezel: 2-3/4"




Recessed Deck Dot Flush Light 0.5W

#EZFR35

- Trimless flush mount light
- Plug and Play Wiring - ends can be clipped off to use with a HARDWIRE system
- Applications: deck, step, plinth, patio, pavers, etc.
- White PC housing
- Fully sealed for outdoor use
- > 85 CRI

Voltage:	12V AC/DC	Wattage:	0.5W
IP Rating:	67	Lumen Output:	38
Mounting Hole Diameter:	1"	Number of LEDs:	1
Pigtail Length:	12"	Colour Temp:	Warm White 2700 K
		Housing Height:	11/16"



LED Outdoor Step, Deck and Inground Light 1Watt

#EZIL9-NKL

Color Temp:

Warmer White 2700K

- Outdoor Lighting
- Plug and Play Wiring - ends can be clipped off to use with a HARDWIRE system
- Deck and step light
- Inground landscape light
- With waterproof connector/plug
- Dimmable (when used with a dimmable transformer)
- Width of Bezel: 2-3/4"

Voltage:	12V AC/DC
IP Rating:	67
Mounting Hole Diameter:	1-3/4"
Width of Bezel:	2-3/4"
Pigtail Length:	11-3/4"
Wattage:	1W
Color Temp:	Warm White 2700K
Lumen Output:	260
Number of LEDs:	1 Power



LED Outdoor Recessed Lights KIT 4 Recessed Lights 1Watt with Wire Harness Splitter

#EZIL9KIT-NKL

Color Temp: Warmer White 2700K

Kit includes:

- 4 Inground Lights
- 1 Wire Harness Splitter to connect lights to transformer (transformer sold separately)

- Outdoor Lighting
- Plug and Play Wiring - ends can be clipped off to use with a HARDWIRE system
- Deck and step light
- Inground landscape light
- With waterproof connector/plug
- Dimmable (when used with a dimmable transformer)
- Width of Bezel: 2-3/4"

Voltage:	12V AC/DC
IP Rating:	67
Mounting Hole Diameter:	1-3/4"
Width of Bezel:	2-3/4"
Pigtail Length:	11-3/4"
Wattage:	1W
Color Temp:	Warm White 2700K
Lumen Output:	260
Number of LEDs:	1 Power



SPOT & PATH LIGHTS



Outdoor LED L-Shaped Path Light including Stake – 3W

#EZL3

- Stake Included
- Outdoor Lighting
- Applications: Path, Garden and Landscape
- Simple to install
- Low power consumption
- Waterproof
- Plug and Play Wiring (can be used with a hardwire system simply by clipping off the connector)
- Dimmable (when used with a dimmable transformer)

Voltage: 12V AC/DC
Pigtail Length: 59"
IP Rating: 67
Dimensions: 16" tall

Wattage: 3W
Color Temp: 3000K Warm White
Housing: Stainless Steel
Housing Color: Powder Coated Black



Garden Path Light 6W

#EZPL32

This is a high quality modern fixture that is meant to light up your pathway, walkway, and garden. The housing is made of high grade stainless steel. It includes a stainless steel stake for sturdy application into the ground.



- Stainless Steel Housing
- Stainless Steel Stake Included
- Outdoor Lighting Applications: Path, Garden, Landscape and more
- Low power consumption
- Waterproof
- Plug and Play Wiring (can be used with a hardwire system simply by clipping off the connector)

Voltage: 12V AC/DC
Pigtail Length: 59"
IP Rating: IP65
Dimensions: 15" tall

Wattage: 6W
Color Temp: 2700K Warm White
Housing Color: Powder Coated Black

Outdoor LED Garden Spotlight/Uplight including Stake – 6W

#EZUL6

- Outdoor Lighting
- Applications: Architectural, Landscape, Accent, Signage
- Innovative solid state COB LED technology
- Replaces halogen
- Simple to install
- Low power consumption
- HARDWIRE Wiring
- Non-Dimmable

Voltage: 12V AC/DC
Pigtail Length: 36"
IP Rating: 67
Dimensions: 3.54 x 2.36"

Wattage: 6W
Color Temp: 3000K Warm White
Raw Lumen Output: 480
Beam Degree: 45°



Outdoor LED Flood Light Wall Wash 30W

#EZFL20

- Outdoor Lighting
- Applications: Wall Washer, Garden & Entertainment Lighting
- Simple to install
- Low power consumption
- Waterproof
- Plug and Play Wiring (can be used with a hardwire system simply by clipping off the connector)
- Non-Dimmable
- +50,000 hour lifespan
- 120° Beam
- Size: 7" x 5.5" x 3.5"

Voltage: 12V DC
Pigtail Length: 45"
IP Rating: 67
Number of LEDs: 1 COB

Wattage: 30W
Color Temp: 3000K Warm White
Housing: Stainless Steel
Housing Color: Powder Coated Black



Outdoor LED Mini Brass Flood Light with Stake – 2.5W

#EZMFL

- Outdoor Lighting
- Applications: Architectural, Landscape, Accent, Signage
- Replaces halogen
- Simple to install
- Low power consumption
- HARDWIRE Wiring
- Stake Included

Voltage: 12V AC/DC
Pigtail Length: 33"
IP Rating: 67
Dimensions: 3.75 x 2"
Wattage: 2.5W

Color Temp: Warm White 3000K
Socket: G4
Bulb: Bi-pin LED already installed in fixture



WIRE SPLICER - HARDWARE TO PLUG AND PLAY (2-PACK) #EZWS1



PLUG & PLAY

- One wire with a female connector to be connected to our plug and play lights and a hardwire end to be connected to a hardwire transformer.
- One wire with a male connector to be connected to our plug and play transformer and a hardwire end to be used with hardwire lights.



PLUG & PLAY

SPLITTER 4-WAY WIRE HARNESS #EZWS4




SPLITTER 5-WAY WIRE HARNESS #EZWS5



Harness splitter for use with our transformers. All cables are direct-buried cables. This splitter provides 4 outputs from 1 single input.

DAISY CHAIN WIRE SPLITTERS



PLUG & PLAY



PLUG & PLAY

Extension Cable - 5ft #EWC5

5 foot extension cable

Extension Cable - 40ft #EWC40

40 foot extension cable

Extension Cable - 10ft #EWC10

10 foot extension cable

Extension Cable - 60ft #EWC60

60 foot extension cable

Extension Cable - 20ft #EWC20

20 foot extension cable.

PLUG & PLAY



Y-SHAPE WIRE SPLITTER #EZYOWS

EZYOWS – Y-shaped wire splitter. One male connector with 2 female connectors. Wire with male connector is 12" in length. Both wires with female connectors measure 36" each.

DAISY CHAIN WIRE SPLITTER 3 OUTPUTS #EZOWS3

Outdoor wire harness system with 1 male connector and 3 female connectors for use with our lights and transformers. Total Length: 2.5 meters. All cables are direct-buried cables. This splitter provides 3 outputs from 1 single input and allows you to run your wires in many directions. **Transformer sold separately*



DAISY CHAIN WIRE SPLITTER 4 OUTPUTS #EZOWS4

Outdoor wire harness system with 1 male connector and 4 female connectors for use with our lights and transformers. Total length: 3.3 meters. All cables are direct-buried cables. This splitter provides 4 outputs from 1 single input and allows you to run your wires in many directions. **Transformer sold separately*

DAISY CHAIN WIRE SPLITTER 8 OUTPUTS #EZOWS8

Outdoor wire harness system with 1 male connector and 8 female connectors for use with our lights and transformers. Total length: 6.6 meters. All cables are direct-buried cables. This splitter provides 8 outputs from 1 single input and allows you to run your wires in many directions. **Transformer sold separately*

DAISY CHAIN WIRE SPLITTER 9 OUTPUTS #EZOWS9

Outdoor wire harness system with 1 male connector and 9 female connectors for use with our lights and transformers. Total length: 6.6 meters. All cables are direct-buried cables. This splitter provides 9 outputs from 1 single input and allows you to run your wires in many directions. **Transformer sold separately*




WATERPROOF WIRE END CAPS 4 PACK #EZEC04

use with our connectors. The wire cap allows you to seal unused outlets and protect them from water damage.

PLUG AND PLAY T-CONNECTOR #EZTC3

1 male output – 4" length
2 female outputs – 4" length each



FORSTNER DRILL BIT 1-1/4" #EZFB1

1-1/4" Forstner Drill Bit to drill the perfect hole for your recessed lights.



LIMITED WARRANTY

All LEDeze products come with a warranty. Our warranty applies against all defects in workmanship, assembly and materials used in the products. We'll repair or replace, at our sole discretion, any product that fails to operate due to a defect within the following time frames: 3 years for lights and 2 years for transformers.

The warranty does not cover:

- Items which have become damaged due to mishandling, improper installation or use, or resulting from extreme acts of nature.
- Product finish which has faded, rusted, or pitted due to environmental factors.
- Service, installation, or other third party fees incurred due to the defect.



36-WATT OUTDOOR DRIVER PLUG + PLAY EZD36



LED EZE

Constant voltage LED Power Supply to be used for low voltage outdoor LED Light Systems. • Class 2 listed • cULus listed

• 3 prong plug

Input: 100-240V AC • Output: 12V DC

Input cord 1.8M • Wattage: 36W



60-WATT OUTDOOR DRIVER PLUG + PLAY EZD60



LED EZE

Constant voltage LED Power Supply to be used for low voltage outdoor LED Light Systems. • Class 2 listed • cULus listed • 3 prong plug

Input: 100-240V AC Output: 12V DC Input cord: 1.8M Wattage: 60W

60WATT DIMMABLE TRANSFORMER #EZDIM60



LED EZE

Output Power: 60W

Input Voltage: 110-277Vac

Output Current: 5.0A

Power Factor: 0.98

Size: 7.5" x 4" x 1.5"

Waterproof



MAGNETIC TRANSFORMER – HARDWIRE EZMT60

LED EZE

with Photocell Timer 60W

HARDWIRE

MAGNETIC TRANSFORMER – HARDWIRE EZMT100

LED EZE

with Photocell Timer 100W

HARDWIRE



WOOD'S PHOTOCELL TIMER - EZPT1



LED EZE

24-hour outdoor lighting timer by Wood's, used to automate landscape, security and holiday lighting. Turns on at dusk for 2, 4, 6 or 8 hours, or until dawn.

125Vac 60Hz

Tungsten: 8A/1,000W

General Purpose: 10A/1,250W

Resistive: 10A/1,250W

Electronic Ballast: 500 VA

Ballast: 120Vac 60Hz 8.3A

Cable length: 15cm

THE 'BIG MAX' LED RETAINING WALL LIGHT




antique metal black oil rubbed bronze

Also available in
Dark Copper Vein, Wrinkle Grey, Clear

The only curved LED retaining wall light on the market capable of projecting a high output 120 degree swath of light at an unparalleled energy efficient performance of 1.9 watts per unit. This means you use fewer fixtures and consume less power.

As with all our outdoor lighting, these units are completely waterproof and housed in sturdily built robust die cast aluminum fixtures that are corrosion-resistant and come with a 30-year powder-coating warranty. The LEDs are protected by an extremely strong polycarbonate UV stable lens guaranteed not to yellow with time or environment. The light has a 6' all-weather electrical pigtail which allows for easy installation and wire termination.

Achieve entirely different looks by pointing the light downwards for walkways or shrubbery, or straight into the air for lighting the side of a house.



Die Cast Aluminum • Polycarbonate Lens

• 1.9 watts @ 12 volt DC. • **Light output:** 250 lumens

Pigtail length: 6' • **Radiance angle light disbursement:** 120°

Light Dimensions: **Width:** 6.7" **Height:** 1.9" **Depth:** 1.0"

**NOW
PLUG +
PLAY**



** please see page 27 for warranty policy*

Notes





**BRICKSTOP
PAVER EDGINGS
HAVE BEEN SPECIFIED AND
INSTALLED IN MANY
PRESTIGIOUS LOCATIONS,
INCLUDING:**

The Korean War Memorial
Riverbanks Zoo, Columbia, SC
Wyeth-Ayerst Pharmaceuticals
City of Stockton, CA
University of Toronto
The Aquarium of Bermuda
University of California, Davis Campus
American General Insurance
Stanford University
Paramount Canada's Wonderland
Gillette Stadium, Foxboro, MA
HQ: Make a Wish Foundation of N. TX
Top-of-the-World-Way, Greenbrook, NJ
The Official Residence of the archbishop of
the Czech Republic
Essex County 911 Memorial, Eagle Rock
Reservation, NJ

...and thousands more.

WWW.BRICKSTOPEDGE.COM